

Get Specific Campaign Details

API: getCampaignInfo

Description

Retrieves detailed information about a specific campaign, including its settings, dial statuses, configurations, and associated transfer groups.

URL

<https://DOMAIN.crocodial.net/goAPIv2/goCampaigns/goAPI.php>

Note: Replace `DOMAIN` with the specific domain you want to query.

Required Parameters

Parameter	Value	Description
goAction	getCampaignInfo	Action to retrieve campaign details and settings.

Parameter	Value	Description
goUser	MyUser	API authorized user.
goPass	MyPass	Password for the API authorized user.
campaign_id	MyCampaignID	The ID of the campaign you want to retrieve information for.
responsetype	json/xml	Format of the response (<code>json</code> recommended).

Note: This endpoint uses body parameters for authentication instead of tokens or headers.

Request Examples:

GET:

```
curl -X GET "https://DOMAIN.croco-dial.net/goAPIv2/goCampaigns/goAPI.php?goAction=getCampaignInfo&goUser=MyUser&goPass=MyPass&campaign_id=MyCampaignID&responsetype=json"
```

POST (Form Data):

If you prefer to send the data as form parameters:

```
curl -X POST "https://DOMAIN.croco-dial.net/goAPIv2/goCampaigns/goAPI.php" \  
-H "Content-Type: application/x-www-form-urlencoded" \  
--data-urlencode "goAction=getCampaignInfo" \  
--data-urlencode "goUser=MyUser" \  
--data-urlencode "goPass=MyPass" \  
--data-urlencode "responsetype=json" \  
--data-urlencode "campaign_id=11111111"
```

Example Response

```
{
  "result": "success",
  "data": {
    "campaign_id": "1234567",
    "campaign_name": "CUTSERVICE",
    "active": "Y",
    "dial_status_a": null,
    "dial_status_b": "",
    "lead_order": "DOWN_LAST_CALL_TIME",
    "hopper_level": 1000,
    "auto_dial_level": "3",
    "next_agent_call": "longest_wait_time",
    "local_call_time": "24hrs",
    "dial_timeout": 30,
    "dial_prefix": "903",
    "campaign_cid": "123456789",
    "campaign_script": "SCRIPT001",
    "campaign_recording": "ALLFORCE",
    "closer_campaigns": "AGENTDIRECT, CUTSERVICE",
    "drop_call_seconds": 1,
    "drop_action": "IN_GROUP",
    "wrapup_seconds": 0,
    "manual_dial_list_id": 999999999,
    "queue_priority": 50,
    "default_xfer_group": "AGENTDIRECT",
    "survey_method": "AGENT_XFER",
    "survey_dtmf_digits": "1238",
    "survey_xfer_exten": "8300",
    "use_internal_dnc": "Y",
    "manual_dial_timeout": "30",
    "three_way_call_cid": "CAMPAIGN",
    "three_way_dial_prefix": "903",
    "callback_days_limit": 0,
    "campaign_description": null,
    "campaign_calldate": "2025-05-07 11:51:49"
  },
  "campaign_type": "OUTBOUND",
  "custom_fields_launch": "ONCALL"
}
```

Response Structure

Field	Type	Description
<code>data</code>	<code>object</code>	Contains all the campaign details.
└─ <code>campaign_id</code>	<code>string</code>	Unique ID of the campaign.
└─ <code>campaign_name</code>	<code>string</code>	The name of the campaign.
└─ <code>active</code>	<code>string</code>	Whether the campaign is active (<code>Y</code>) or not (<code>N</code>).
└─ <code>dial_status_a</code> to <code>dial_status_e</code>	<code>string</code>	The dial statuses associated with the campaign.
└─ <code>lead_order</code>	<code>string</code>	Specifies the order of leads in the hopper.
└─ <code>hopper_level</code>	<code>number</code>	Number of leads loaded into the hopper.
└─ <code>auto_dial_level</code>	<code>string</code>	The auto-dial level for the campaign.
└─ <code>next_agent_call</code>	<code>string</code>	Specifies the method for the next agent call assignment.
└─ <code>local_call_time</code>	<code>string</code>	Time restrictions for dialing.
└─ <code>dial_timeout</code>	<code>number</code>	Time in seconds before the call times out.
└─ <code>dial_prefix</code>	<code>string</code>	The prefix added to dialed numbers.
└─ <code>campaign_cid</code>	<code>string</code>	Caller ID for the campaign.
└─ <code>campaign_script</code>	<code>string</code>	The script associated with the campaign.
└─ <code>campaign_recording</code>	<code>string</code>	Indicates the call recording policy.
└─ <code>closer_campaigns</code>	<code>string</code>	List of related closer campaigns.
└─ <code>drop_call_seconds</code>	<code>number</code>	Seconds before considering the call as "dropped".
└─ <code>drop_action</code>	<code>string</code>	Action to take when a call is dropped.
└─ <code>wrapup_seconds</code>	<code>number</code>	Time for agents to wrap up after a call.
└─ <code>wrapup_message</code>	<code>string</code>	Message displayed during the wrap-up.
└─ <code>manual_dial_list_id</code>	<code>number</code>	List ID for manual dialing.
└─ <code>queue_priority</code>	<code>number</code>	Priority of this campaign in the call queue.

Field	Type	Description
default_xfer_group	string	Default transfer group for calls.
survey_method	string	Method for handling survey calls (e.g., AGENT_XFER).
survey_dtmf_digits	string	DTMF digits used for survey responses.
survey_xfer_exten	string	Extension for survey transfers.
use_internal_dnc	string	Whether the campaign uses the internal Do Not Call list (Y/N).
manual_dial_timeout	string	Timeout for manual dial attempts.
three_way_call_cid	string	Caller ID for three-way calls.
three_way_dial_prefix	string	Dial prefix for three-way calls.
callback_days_limit	number	Maximum days allowed for scheduled callbacks.
campaign_description	string	Optional description of the campaign.
campaign_calldate	string	The last call date for this campaign.
campaign_type	string	Specifies if the campaign is INBOUND, OUTBOUND, or BLENDED.
custom_fields_launch	string	Indicates if custom fields are launched during the call (ONCALL).

Revision #8

Created 8 May 2025 22:19:29

Updated 19 March 2026 21:38:29